Objective Paper-I

1. Which of the following diagrams corresponds to the load-deflection characteristics upto plastic collapse of the beam shown?



3. Consider the following stipulations in designing a laced column:

- 1. Single lacing systems on opposite planes shall preferably be in the same direction so that one is the shadow of the other.
- 2. Lacing bar should be a flat section.
- 3. The slenderness ratio of the lacing bars for compression shall not exceed 180.
- 4. Laced compression members are to be provided with tie plates at ends.

Which of the above observations is / are correct?

(1) following (2) function (2)	(A) I only	(\mathbf{B}) I and 3	(C) 2 and 4	(D) I and 4
--	------------	------------------------	-------------	-------------

- 4. At a section along the span of a welded plate girder, in which the web is spliced, the bending moment at a section is M. The girder is comprised of top flange; web and bottom flange plates all of equal areas. The share of the bending moment taken by splice plates would be:
 (A) M
 (B) M/3
 (C) M/7
 (D) M/13
- 5. A steel plate is 300mm wide and 10mm thick. A rivet of nominal diameter 18mm is driven. The net sectional area of the plate is:

(A) 1800 mm^2 (B) 2805 mm^2 (C) 2820 mm^2 (D) 3242 mm^2

6. For an I-beam, the shape factor is 1.12. The factor of safety in bending stress is 1.5. If the allowable stress is increased by 20% for wind or earthquake loads, then the load factor is:

(A) 1.10 (B) 1.25 (C) 1.35 (D) 1.40

7. PERT calculations yield a project length of 60 weeks with a variance of 9 weeks. Probability factor corresponding to 95% probability is 1.647; then the number of weeks required to complete the project with a probability of 95% is

(A) 60.94 (B) 62.94 (C) 64.94 (D) 66.94

8. The influence line for force in member BC is



- 9. Consider the following statements:
 - 1. PERT is activity-oriented and adopts deterministic approach
 - 2. CPM is event-oriented and adopts probabilistic approach
 - 3. PERT is event-oriented and adopts probabilistic approach

Which of the above statements is / are correct?

(A) 1 only (B) 1 and 2 (C) 2 and 3 (D) 3 only

10. For the continuous beam shown, what is the reaction at A at collapse, by plastic analysis?



GATEFORUM- India's No.1 institute for GATE training



Where σ_{v} is Yield strength of steel

15. A father notes that when his teenage daughter uses the telephone she takes no less than 5 minutes for a call but sometimes as much as an hour. 15 minute calls are more frequent than calls of any other duration. If the daughter's calls were to be represented as an activity in PERT project, the expected duration of each phone call is

(A) $14\frac{5}{6}$ minutes (B) $16\frac{5}{6}$ minutes (C) $18\frac{5}{6}$ minutes (D) $20\frac{5}{6}$ minutes

CE- Objective Paper-I **IES-2010**

www.gateforum.com

16.	The maximum longitudinal pitch allowed in bolte	d joints of tension members is
	(A) 16 times the diameter of the bolt	(B) 32 times the diameter of the bolt
	(C) 16 times the thickness of the plate	(D) 32 times the thickness of the plate
	-	-
17.	The base plate of a roof truss is attached to the comild steel anchor bolts of grade $f_y = 250MPa$. subjected to, if the root area of bolt = 0.75 times s	oncrete pier with the help of 16mm diameter What is the maximum pull the base can be hank area?
	(A) 30kN (B) 67.5kN	(C) 90kN (D) 120kN
18.	 Consider the following conditions with respect to 1. Sum of internal and external forces and m 2. At ultimate collapse load, the number of mechanism. 	plastic analysis: coments must be equal to zero. plastic hinges must be just enough to form a
	Which of the above conditions is / are correct?	
	(A) 1 only	(B) 2 only
	(C) neither 1 nor 2	(D) both 1 and 2
19.	 Poisson's ratio is defined as the ratio of (A) Longitudinal stress and longitudinal strain (B) Lateral strain and longitudinal strain (C) Longitudinal stress and lateral stress (D) Lateral stress and longitudinal stress 	FORUM ing Success
20.	The influence line diagram for the support mome is	nt at A of the fixed beam AB of constant EI
	A	В
	(A) AB	(B) AB
	(C) AB	AB

21. The use of 'Concordant cables' in prestressed continuous beams induces

(A) Initial support reactions

(C) Excess cracking

- (B) No initial support reactions
- (D) Excess deflection

ORUM Success CE- Objective Paper-I

22. Which one of the following is not required in concrete mix-design?

- (A) Degree of quality control of concrete
- (B) Workability of concrete
- (C) Characteristic compressive strength of concrete at 28 days
- (D) Initial setting time of cement
- 23. The absolute maximum bending moment that a simply supported girder of span 10 m experiences when two concentrated loads 20 kN and 30 kN spaced 2 m apart (30 kN as leading at the right) crosses the girder from left to right, is

```
(A) 112.2 kN-m (B) 96.6 kN-m (C) 136.8 kN-m (D) 105.8 kN-m
```

24. A solid shaft rotating at 180 rpm is subjected to a mean torque of 5000 Nm. What is the power transmitted by the shaft in kW?

(A)
$$25 \pi$$
 (B) 20π (C) 60π (D) 30π

25. For the roof truss shown in figure, bottom chord is ISMB 200 $[r_x = 83 \text{ mm}, r_y = 22 \text{ mm}]$.



26. Consider the following statements:

In a simply supported beam subjected to uniformly distributed load throughout the length, at which points is the stress due to (i) Flexure and (ii) Shear equal to zero selectively:

- 1. At the support section and neutral fibre.
- 2. At mid span section and neutral fibre
- 3. At mid span section and top fibre
- 4. At support section at bottom fibre

Which of the above statements is / are correct?

(A) 1 only (B) 1 and 2 (C) 2 and 3 (D) 2 and 4

27. Consider the following statements:

Ultrasonic pulse velocity test to measure the strength of concrete is

- 1. Used to measure the strength of wet concrete
- 2. Used to obtain estimate of concrete strength of finished concrete elements
- 3. A destructive test
- 4. A non-destructive test

Which of the above statements is / are correct?

(A) 2 only (B) 1 and 3 (C) 2 and 4 (D) 3 and 4

28. A solid shaft has length and diameter ' L_s ' and 'D' respectively. A hollow shaft of length L_h , external diameter 'D' and internal diameter 'd' respectively. Both are of the same material. The ratio of torsional stiffness of hollow shaft to that of solid shaft is

(A)
$$\left[1 + \left(\frac{d}{D}\right)^4\right] \cdot \frac{L_s}{L_h}$$
 (B) $\left[1 - \left(\frac{d}{D}\right)^4\right] \cdot \frac{L_h}{L_s}$ (C) $\left[1 - \left(\frac{d}{D}\right)^4\right] \cdot \frac{L_s}{L_h}$ (D) $\left[1 - \left(\frac{D}{d}\right)^4\right] \cdot \frac{L_s}{L_h}$

29. A live load 20 kN/m, 6 m long, moves on a simply supported girder AB 12 m long. For maximum bending moment to occur at 4 m from left end A, where will the head of load be, as measured from A?

(A) 4 m (B) 6 m (C) 8 m (D) 10 m

- A building with a gabled roof will experience pressure on its leeward slope which is 30.
 - (A) Always positive
 - (B) Always negative
 - (C) Sometimes positive and otherwise negative
 - (D) Zero

(A) 0.65 kN/m^2

The live load for a sloping roof with slope 15°, where access is not provided to the roof, is 31. taken as (C) 1.35 kN/m^2 (B) 0.75 kN/m^2 (D) 1.50 kN/m^2

- 32. The batten plates used to connect the components of a built-up column are designed to resist
 - (B) Transverse shear only (A) Longitudinal shear only
 - (C) Longitudinal shear and moment arising from transverse shear
 - (D) Vertical shear only
- 33. The duration of any activity in case of PERT programme is calculated as a weighted average of three time estimates namely the optimistic time to, the pessimistic time tp and the most probable time tm, which is given as

(A)
$$\left(\frac{to + tm + 4tp}{6}\right)$$

(B) $\left(\frac{to + 4tm + tp}{6}\right)$
(C) $\left(\frac{4to + tm + tp}{6}\right)$
(D) $\left(\frac{3to + 2tm + tp}{6}\right)$

34. In ISMC 400 channels placed back to back at a spacing of 26 cm carry an axial load of 160 tonnes. The lacing system should be designed to resist a transverse shear of

(A) 16 tonnes (B) 12 tonnes (C) 8 tonnes (D) 4 tonnes



(A)
$$\frac{6\text{EI}}{\text{L}^3} \begin{bmatrix} 16 & 5\\ 5 & 2 \end{bmatrix}$$
 (B) $\frac{6\text{EI}}{7\text{L}^3} \begin{bmatrix} 16 & 5\\ 5 & 2 \end{bmatrix}$ (C) $\frac{6\text{EI}}{\text{L}^3} \begin{bmatrix} 16 & -5\\ -5 & 2 \end{bmatrix}$ (D) $\frac{6\text{EI}}{7\text{L}^3} \begin{bmatrix} 16 & -5\\ -5 & 2 \end{bmatrix}$

40. Consider the following statements relating to structural analysis:

- 1. Flexibility matrix and its transpose are equal.
- 2. Elements of main diagonal of stiffness matrix are always positive
- 3. For unstable structures, coefficients in leading diagonal matrix can be negative.

Which of the above statements is / are correct?

(A) 1,2 and 3 (B) 1 and 2 only (C) 2 and 3 only

(D) 3 only

41.



In the above network, the duration of activities are written along their arrows. The critical path of the activities is along

- (A) 1-2-3-5-7-8(B) 1-2-3-6-7-8(C) 1-2-4-5-7-8(D) 1-2-3-4-5-7-8
- 42. Flexibility matrix for a beam element is

$$[\mathbf{F}] = \frac{1}{\mathbf{EI}} \begin{bmatrix} 36 & 9\\ 9 & 4 \end{bmatrix}$$

What is the corresponding stiffness matrix [S]?



The above figure indicates a project network; the number at each activity represents its normal duration in days. The critical path is along



The RC slab, simply supported on all edges as in above figure, is subjected to a total UDL of 12 kN/m². The maximum shear force / unit length along the edge 'BC' is (A) 16 kN (B) 12 kN (C) 8 kN (D) 30 kN

45. Consider the following statements about the air entraining admixture in concrete: 1. Improve workability 2. Improve durability 3. Reduce segregation during placing 4. Decrease concrete density Which of the above statements are correct? (A) 1,2,3 and 4 (B) 1 and 2 only (C) 2 and 3 only (D) 3 and 4 only 46. Which one of the following is relevant to Activity on Node (AON)? (A) Dummy activities may be many (B) There will be no dummy activities (C) It is used for quite complex project (D) It is easier to associate with time flow of activities 47. Consider the following activities: 1. Pouring of concrete 2. Erection of formwork 3. Curing of concrete 4. Removal of formwork What is the correct sequence on a network of these activities? (B) 2-1-4-3 (C) 2-1-3-4 (D) 1-3-2-4 (A) 1-2-3-4 4<mark>8.</mark> A solid circular shaft subjected to a torque 'T' produces maximum shear stress f_{e} , which is the maximum principal value in the material. The corresponding diameter of the shaft should be

(A)
$$\sqrt[3]{\frac{\pi \cdot f_s}{16 \cdot T}}$$
 (B) $\sqrt[3]{\frac{32 \cdot T}{\pi \cdot f_s}}$ (C) $\sqrt[3]{\frac{\pi}{16 \cdot T \cdot f_s}}$ (D) $\sqrt[3]{\frac{16 \cdot T}{\pi \cdot f_s}}$

49. The distribution factors for members AE and AC of the box section are



GATEFORUM- India's No.1 institute for GATE training

- 50. A steel beam is replaced by a corresponding aluminium beam of same cross-sectional shape and dimensions, and is subjected to same loading. The maximum bending stress will
 - (A) Be unaltered
 - (B) Increase
 - (C) Decrease
 - (D) Vary in proportion to their modulus of elasticity
- 51. A building contractor discovers from his record that in the last 200 slab castings his mixer machine broke down 21 times. During each breakdown, he had to pay on an average about 2500 for idle labour. A standby mixer machine, if hired on the day of slab casting, would cost him Rs. 200 per day. The expected loss is more than the mitigation expense of hiring the mixer by

(A) Rs. 151.50 (B) 241.50 (C) 262.50 (D) 283.50

52. Consider the following statements:

Admixtures are added to concrete to

	1.	Increase its strength
	2.	Reduce heat of hydration
1	3.	Delay the setting of cement
	4.	Reduce water-cement ratio
Wł	nich	of the above statements is / are correct?
(A)) 1	only (B) 1 and 2 (C) 2 and 3 (D) 3 and 4

- 53. A beam of symmetrical I-section, made of structural steel has an overall depth of 300mm. If the flange stresses developed at the top and bottom of the beam are 1200 kg/cm² and 300 kg/cm² respectively, then the depth of neutral axis from the top of the beam would be
 - (A) 250mm (B) 240mm (C) 200mm (D) 180mm
- 54. Consider the following statements:
 - 1. Strength of concrete cube is inversely proportional to water-cement ratio.
 - 2. A rich concrete mix gives a higher strength than a lean concrete mix since it has more cement content.
 - 3. Shrinkage cracks on concrete surface are due to excess water in mix.

Which of the above statements is / are correct?

(A) 1,2 and 3 (B) 1 and 2 only (C) 2 only (D) 2 and 3 only

55. The load carrying capacity of a column designed by working stress method is 500 kN. The ultimate collapse load of the column is

(A) 500 kN (B) 662.5 kN (C) 750 kN (D) 1100 kN

56.	 Consider the following statements: The crushing strength of concrete is fully governed by water-cement ratio Vibration has no effect on strength of concrete at high water-cement ratios Workability of concrete is affected by improper grading of aggregates 						
	Which of the above	statements is / are correc	t?	66 6 6			
	(A) 1, 2 and 3	(B) 2 and 3 only	(C) 2 only	(D) 3 only			
57.	Consider the follow 1. It is given be 2. It is given between cra 3. It is given be 4. It is given be Which of the above (A) 1 only	ing statements regarding by difference between nor by difference between cr sh time and normal time. by difference of crash cos by crash cost divided by c statements is / are correc (B) 2 and 3	the slope of cost-time of rmal cost and crash cost rash cost and normal of t and normal cost divid rash time. t? (C) 2 only	curve: t divided by crash time. cost divided by difference led by normal time. (D) 3 and 4			
58.	If P is the percenta then percentage of y	ge of water required for water to be added for dete	determination of norn ermination of initial set	nal consistence of cement, ting time is			
59.	 (A) 0.70P (A) 0.70P Consider the follow 1. It is a graph 2. The Top-Do 3. The Down- 4. It is suitable 	(B) 0.75P ing statements in work buical representation of ent own approach to planning Top approach to planning e for complex projects.	(C) 0.80P reakdown structure: ire programme. g is adopted. g is adopted.				
	Which of the above	statements is / are correc	t?				
	(A) 1 only	(B) 2 and 4	(C) 3 and 4	(D) 4 only			
60.	Consider the follow Entrainment of air i 1. Increase the 2. Increase the 3. Increase the Which of the above (A) 1,2 and 3	ing statements: n concrete is done so as t e workability e strength e resistance to freezing an statements is / are correc (B) 1 only	o d thawing t? (C) 1 and 3 only	y (D) 3 only			
61.	Consider the follow 1. In work-bre 2. Bar-chart d 3. Controlling Which of the above (A) 1 and 3 only	ing statements: eak down structure top-do epicts interdependencies can be better achieved in statements are correct? (B) 1 and 2 only	own approach is adopte of activities. n milestone chart. (C) 2 and 3 only	d. (D) 1, 2 and 3			

62. 4kN – m l**∢** 2m ≥l**∢** 2m A simply supported beam is loaded as in figure. The bending moment at C is (A) 4 kN-m (Sagging) (B) 4 kN-m (Hogging) (C) 8 kN-m (Sagging) (D) Zero 63. If the Euler load for a steel column is 1000kN and crushing load is 1500kN, the Rankine load is equal to (A) 2500 kN (B) 1500 kN (C) 1000 kN (D) 600 kN 64. A simply supported beam of T-section is subjected to a uniformly distributed load acting vertically downward. Its neutral axis is located at 25mm from the top of the flange and the total depth of the section is 100mm. The ratio of maximum tensile stress to maximum compressive stress in the beam is (B) 2.5 (A) 2.0 (C) 3.0 (D) 4.0 A two-dimensional stress system has like stresses $\sigma_x = 100 \text{ N/mm}^2$ and $\sigma_y = 200 \text{ N/mm}^2$ in 6<mark>5</mark>. two mutually perpendicular directions. The x, y co-ordinates of the centre of the Mohr's circle are (A) (0,150)(B) (150,0) (-50,0)(D)(50,0)A cement bag contains 0.035 cubic meter of cement by volume. How many bags will one 66. tonne of cement comprise? (A) 16 (B) 17 (C) 18 (D) 20 67. Consider the following statements: 1. Total float can affect all activities in the chain. 2. Free float can affect only the preceding activities 3. Independent float affects only the particular concerned activity Which of the above statements is / are correct? (A) 1 only (B) 1 and 2 only (C) 2 and 3 only (D) 1,2 and 3 68. Consider the following statements: 4. Cambium layer is between sapwood and heartwood. 5. Heartwood is otherwise termed as deadwood 6. Timber used for construction is obtained from heartwood Which of the above statements is / are correct? (A) 1,2 and 3 (D) 2 only (B) 2 and 3 only (C) 1 and 2 only

CE- Objective Paper-I **IES-2010**

69. Consider the following statements:

- 1. The resources are considered to be unlimited.
- 2. The resources are considered to be limited.
- 3. The start times of some of the activities are so shifted within their available floats that the uniform demand is created for the resources.

Which of the above statements is / are correct?

(A) 1 only (B) 1,2 and 3 (C) 2 and 3 only (D) 1 and 3 only

70.



A prismatic bar ABC is subjected to an axial load of 25 kN; the reactions R_A and R_C will be

- (A) $R_A = -10 \text{ kN}$ and $R_C = -15 \text{ kN}$ (B) $R_A = -10 \text{ kN}$ and $R_C = -35 \text{ kN}$
- (C) $R_A = -15 \text{ kN}$ and $R_C = -10 \text{ kN}$ (D) $R_A = 15 \text{ kN}$ and $R_C = -40 \text{ kN}$
- 71. The capacity of a single ISA 100 x 100 x 10 mm as tension member connected by one leg only using 6 rivets of 20 mm diameter is (A) 333 kN (B) 253 kN (C) 238 kN (D) 210 kN

72. Consider the following statements:

- 1. Strength of brick masonry is influenced by type of mortar.
- 2. Brick masonry with lime mortar achieves full strength earlier than cement mortar masonry.
- 3. Mortar strength decides the strength of masonry.
- Which of the above statements is / are correct?
- (A) 1, 2 and 3 (B) 1 only (C) 1 and 3 only (D) 1 and 3 only
- 73. A single-acting reciprocating pump has a stroke of 30cm, speed of 115 rpm and a piston of 30 cm diameter. It discharges 39 l.p.s. through a height of 15 m. The slip of the pump is
 (A) 2.8%
 (B) 3.2%
 (C) 3.6%
 (D) 4.0%
- 74. Consider the following statements for a beam of rectangular cross-section and uniform flexural rigidity EI subjected to pure bending:The bending stresses have the maximum magnitude at the top and bottom of the cross-section.

The bending stresses vary linearly through the depth of the cross-section.

The bending stresses vary parabolically through the depth of the cross-section.

Which of the above statements is / are correct?

(A) 1,2 and 3 (B) 1 only (C) 2 only (D) 1 and 2 only

CE- Objective Paper-I **IES-2010**

75. If the load acting on a commonly conventional sized RC column increases continuously zero to higher magnitudes, the magnitude of the uniaxial ultimate moment that ca allowed on the column								
	(A) Increases	(B) Decreases						
	(C) Increases and then decreases	(D) Remains constant						
76.	In RCC beams, as the percentage areas of tensile steel increases							
	(A) Depth of neutral axis increases	(B) Depth of neutral axis decreases						
	(C) Depth of neutral axis does not change	(D) Lever arm increases						
77. The average compressive strength of a burnt clay brick is less than 12.5 N/mm allowable rating of efflorescence is								
	(A) Moderate (B) Serious	(C) Heavy (D) Zero						
78.	Two beams carrying identical loads, simply so has double the width as compared to that of be that of beam B is	upported, are having same depth but beam A eam B. The ratio of the strength of beam A to						
	(A) $\frac{1}{2}$ (B) $\frac{1}{4}$	(C) 2 (D) 4						
7 <mark>9.</mark> /	Shear span is defined as the zone where							
	(A) Bending moment is zero (B) Shear force is zero							
	(C) Shear force is constant gines	(D) Bending moment is constant						
8 <mark>0.</mark>	If the hinged end of a propped cantilever of sp of the hinged end will be	an L settles by an amount δ , then the rotation						
	(A) $\frac{\delta}{2\delta}$ (B) $\frac{2\delta}{2\delta}$	(C) $\frac{3\delta}{\delta}$ (D) $\frac{4\delta}{\delta}$						
	L L	L L						
81.	The correct statement in respect of a centrifugat (A) The discharge varies in direct proportion to (B) The head varies as the square of the speed (C) The discharge varies in inverse proportion (D) The power varies as the head and square of	l pump is o speed as also square of the diameter as also of the square of the diameter to speed as also the cube of the diameter f the diameter						
82.	Consider the following statements:	1.1.						
	1. Bricks lose their strength by 25% when	soaked in water.						
	2. Minimum crushing strength of brick in	buildings should be 35 kg/cm ²						
	3. The size of modular type bricks is thickness.	20 cm x 10 cm x 10 cm including mortar						
	Which of the above statements are correct?							
	(A) 1, 2 and 3 (B) 1 and 2 only	(C) 1 and 3 only (D) 2 and 3 only (C)						

- 83. The limit of proportionality in the material of a structural steel member, when subjected to simple tension, is 280 N/mm². The principal stresses in the member are $\sigma_1 = 122$ N/mm² (Tensile) and $\sigma_2 = 60$ N/mm² (Compressive). $\mu = 0.3$. According to maximum strain theory, the factor of safety is (A) 2.5 (B) 1.5 (C) 2 (D) 3
- 84. What is the deflection at the hinge for the beam shown?
 - (A) 0 (B) $\frac{Pl^3}{3EI}$ |< |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | < |/2 | <
- 85. A belt designated as Hex bolt M 16 x 70 NL will have
 - (A) Diameter of 16mm
 - (B) Diameter of 70mm
 - (C) Length of 16mm
 - (D) Cross sectional area of $16 \times 70 \text{ cm}^2$

86. In the limit state method, balanced design of a reinforced concrete beam gives

- (A) Smallest concrete section and maximum area of reinforcement
- (B) Largest concrete section and maximum area of reinforcement
- (C) Smallest concrete section and minimum area of reinforcement(D) Largest concrete section and minimum area of reinforcement
- 87. A square element is subjected to principal stresses in N/mm² as in figure. The intensity of normal stress σ_n on plane BD is



- 88. A crawler-tractor weighs 9 ton and a rubber-tyred tractor capable of exerting the same maximum drawbar pull weighs 7.5 ton. 65% of weight of the latter is carried by the two driving wheels. Tractive coefficient for crawler track and rubber tyre is respectively 0.48 and 0.90. Which tractor is more suitable for use where the running surface is concrete?
 - (A) Crawler-tractor
 - (C) Either

- (B) Rubber-tyred tractor
- (D) Neither

- 89. The advantage in using plywood is that the
 - (A) Tensile strength is equal in all directions
 - (B) Higher tensile strength in longer direction
 - (C) Higher tensile strength in shorter direction
 - (D) Lower tensile strength in longer direction
- 90. Consider the following statements:

If there is a state of pure shear τ at a point then

- 1. The Mohr's circle is tangential to the y-axis.
- 2. The centre of the Mohr's circle coincides with the origin
- 3. Unlike principal stresses are each numerically equal to τ
- 4. Principal stresses are like.

Which of the above statements is / are correct?

(A) 1 only (B) 1 and 2 (C) 2 and 3 (D) 3 and 4

91. A simple plane truss acted upon by a load 2P at the apex A is shown. The axial force in the member AB is



92. A four-wheel tractor whose operating weight is 13,000 kg is pulled along a haul road having 4% at а uniform speed with rolling slope of а resistance of a 10 kg / ton for 1% slope. The tension in the toe cable is 1105 kg. The rolling resistance of the haul road is

(A) 35 kg/ton (B) 45 kg/ton (C) 55 kg/ton (D) 65 kg/ton

- 93. On a particular construction project, the contractor on an average employed 100 workers with 50 hours per week. The project lasted for 35 weeks and during this period, 14 disabling injuries occurred. The injury-frequency rate is
 (A) 6 (B) 7 (C) 8 (D) 9
- 94.The maximum percent of moment redistribution allowed in RCC beams is
(A) 10%(B) 20%(C) 30%(D) 40%

- 95. A structural member carrying a pull of 700 kN is connected to a gusset plate using rivets of 20 mm diameter. If the pull required for shearing the rivets, to crush the rivets and to tear the plate per pitch length are 60 kN, 35 kN and 70 kN respectively, then the number of rivets required is
 - (A) 12 (B) 18 (C) 20 (D) 22
- 96. A point in two-dimensional stress state subjected to biaxial stress is shown in figure. What is the normal stress acting on the plane AB?



100. A unit of equipment costs Rs. 25 Lakh and has a life of 5 years with no salvage value. The average annual cost of this equipment based on straight-line depreciation is

(A) Rs. 5 Lakh (B) Rs. 10 Lakh (C) Rs. 15 Lakh (D) Rs. 20 Lakh

Directions: -

Each of the next Twenty (20) items consists of two statements, one labelled as the 'Assertion (A)' and the other as 'Reason (R)'. You are to examine these two statements carefully and select the answers to these items using the codes given below:

Codes:

- (A) Both A and R are individually true and R is the correct explanation of A
- (B) Both A and R are individually true but R is NOT the correct explanation of A
- (C) A is true but R is false
- (D) A is false but R is true

101.	Assertion (A)	:	A hollow circular shaft has more power transmitting capacity than solid shaft of same material and same weight per unit length.		
	Reason (R)	:	In a circular shaft, shear stress developed at a point due to torsion is proportional to its radial distance from the centre of the shaft.		
102.	Assertion (A)	•	Load deflection characteristics of a fixed beam subjected to uniformly distributed load is linear up to collapse.		
	Reason (R)	Ē	Except at the zones of plastic hinge, rest of the components are in the elastic range.		
1 <mark>03</mark> .	Assertion (A)	:	Low heat cement is used in the construction of large dams.		
	Reason (R)	:	Very high compressive strength is achieved by low heat cement in 28 days.		
104.	Assertion (A)	:	Higher strength is achieved when superplasticizer is added to cement concrete mix.		
	Reason (R)	:	By adding superplasticizer, the quantity of mixing water is reduced.		
105.	Assertion (A)	:	In order to obtain higher degree of workability in cement concrete, both water content and proportion of cement should be increased.		
	Reason (R)	:	Increase in water-cement ratio decreases the strength of cement concrete; a mix with higher workability must have higher proportion of cement in it.		
106.	Assertion (A)	:	The principle of superposition is valid whenever the strain or stress to be obtained is directly proportional to the applied loads.		
	Reason (R)	:	Strain energy depends on the product of stress and strain.		

C	ATEFORUM gineering Success CE	Objective Paper-I IES-2010 www.gateforum.com
107.	Assertion (A)	: Force method of analysis is not convenient for computer programming.
	Reason (R)	: Band width of flexibility matrix is much larger compared to that of stiffness matrix.
108.	Assertion (A)	: The moment distribution and slope-deflection methods of structural analysis are essentially stiffness methods.
	Reason (R)	: In the moment distribution method, the slope-deflection equations are solved without writing them explicitly.
109.	Assertion (A)	: Compared to rectangular hollow section, circular hollow section possesses more plastic moment of resistance over its yield moment.
	Reason (R)	: Circular hollow section has higher shape factor than rectangular hollow section.
110.	Assertion (A)	: In a helically reinforced concrete column, the concrete core is subjected to triaxial state of stress.
	Reason (R)	: Helically reinforced concrete columns are very much suitable for earthquake resistant structures.
111.	Assertion (A)	: In the case of mild steel, the tensile strength (expressed as per unit area) of smaller diameter bars are more than that of larger diameter bars.
	Reason (R)	: In the case of smaller diameter mild steel bars, the ratio of outer hard core to total area (outer hard core + inner soft core) is more.
1 <mark>12.</mark>	Assertion (A)	: The behaviour of an over-reinforced beam is more ductile than that
	Reason (R)	: Over-reinforced beam contains more steel and steel is more ductile than concrete.
113.	Assertion (A)	: Activity-on-node network eliminates the use of dummy activities.
	Reason (R)	: It is self-sufficient as it contains all activity times on the nodes itself.
114.	Assertion (A)	: A 'dummy' job is assigned 'zero' time to perform.
	Reason (R)	: It is used mainly to specify precedence relationship.
115.	Assertion (A)	: The time-grid diagram facilitates to readout the float for any activity by inspecting the diagram.
	Reason (R)	: In the time-grid diagram, floats are represented by broken horizontal lines as appropriate.
116.	Assertion (A)	: The probability of completion of a multi-path project at the expected project completion duration is 50%.

The standard deviate for the critical path duration is zero.

Reason (R)

:

G	GATEFORUM Engineering Success CE- (Objectiv	ve Paper-I	IES-2010	www.gateforum.com
117.	Assertion (A) Reason (R)	:]	In the analysis of statically determinate planar trusses by the method of joints, not more than two unknown bar forces can be determined. There are only two equations of force equilibrium available for a co- planar concurrent system.		
118. Assertion (A)		: /	A drag line is and depositing	s a suitable equipme g it on nearby bank.	nt for excavating or digging earth
	Reason (R)	: 1	In drag-line, t	here is no need of a s	eparate hauling unit.
119. Assertion (A) : Mueller-Breslau principle is a most widely used me qualitative influence lines in an indeterminate struct				t widely used method to determine leterminate structure.	
	Reason (R)	: 7	The determination of the qualitative influence lines is often of great value in ascertaining the most severe stresses at specified sections of a structure.		
120.	Assertion (A)	(A) : Losses in prestress in pre-tensioned beams are more than the loss in post-tensioned beams			ed beams are more than the losses
	Reason (R)	: 7	This is partial	ly due to the effect o	f elastic shortening.
G		CE	ngir		ORUM J Success